

Audeo Marvel Order Form

www.phonakpro.com
Enquiries : 68952666



Date Ordered :	**Date Required :
Client Name :	Contact Name :
Hearing Clinic :	Contact Number :

Audiogram : This section is required for processing.

	250Hz	500Hz	1kHz	2kHz	3kHz	4kHz	6kHz	8kHz	
Right									dBHL
Left									dBHL

LEFT

Rechargeable (Please tick)			
M90-R		M90-RT	
M70-R		M70-RT	
M50-R		M50-RT	
M30-R		M30-RT	

Non-rechargeable (Please tick)			
M90	<input type="checkbox"/>	13T	<input type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>
M70	<input type="checkbox"/>	13T	<input type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>
M50	<input type="checkbox"/>	13T	<input type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>
M30	<input type="checkbox"/>	13T	<input type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Color :

SDS 4.0 (Receiver) - (Please circle)				
Type :	S	M	P	UP
Length :	0L	1L	2L	3L
Dome :	Cap	Open	Vented	Power
Dome Size:	Small	Medium	Large	

RIC Receiver Custom Ear Tip Options

- Acrylic Slim Tip (*Receiver S and M only*)
- Acrylic cShell
- Titanium cShell

Proceed with cShell if slim tip is impossible. **Yes / No**

Vent Options for Custom Ear Tip

- | | |
|------------------------------------|------------------------------------|
| <input type="checkbox"/> AOV | <input type="checkbox"/> 1.7-2.2mm |
| <input type="checkbox"/> Occluded | <input type="checkbox"/> 2.3-3.0mm |
| <input type="checkbox"/> 0.6-0.8mm | <input type="checkbox"/> 3.1-4.5mm |
| <input type="checkbox"/> 0.9-1.1mm | <input type="checkbox"/> Open |
| <input type="checkbox"/> 1.2-1.6mm | |

Please note : No occluded vent available for Titanium custom ear tip.

RIGHT

Rechargeable (Please tick)			
M90-R		M90-RT	
M70-R		M70-RT	
M50-R		M50-RT	
M30-R		M30-RT	

Non-rechargeable (Please tick)			
M90	<input type="checkbox"/>	13T	<input type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>
M70	<input type="checkbox"/>	13T	<input type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>
M50	<input type="checkbox"/>	13T	<input type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>
M30	<input type="checkbox"/>	13T	<input type="checkbox"/>
			<input type="checkbox"/>
			<input type="checkbox"/>

Color :

SDS 4.0 (Receiver) - (Please circle)				
Type :	S	M	P	UP
Length :	0R	1R	2R	3R
Dome :	Cap	Open	Vented	Power
Dome Size:	Small	Medium	Large	

RIC Receiver Custom Ear Tip Options

- Acrylic Slim Tip (*Receiver S and M only*)
- Acrylic cShell
- Titanium cShell

Proceed with cShell if slim tip is impossible. **Yes / No**

Vent Options for Custom Ear Tip

- | | |
|------------------------------------|------------------------------------|
| <input type="checkbox"/> AOV | <input type="checkbox"/> 1.7-2.2mm |
| <input type="checkbox"/> Occluded | <input type="checkbox"/> 2.3-3.0mm |
| <input type="checkbox"/> 0.6-0.8mm | <input type="checkbox"/> 3.1-4.5mm |
| <input type="checkbox"/> 0.9-1.1mm | <input type="checkbox"/> Open |
| <input type="checkbox"/> 1.2-1.6mm | |

Special Instructions :

